

# OPTIFLEX MATT WHITE XT1000V

## TENSIONED SCREEN SURFACE

### EXTRA WIDE VIEWING CONE / TYPICAL CONTRAST / ON-AXIS GAIN OF 1.0

The perfect matt white diffusing surface. Recommended for use with all types of projectors provided ambient light can be reasonably controlled. Reflects a uniformly bright image over complete 180° viewing cone with precise resolution and accurate color balance. This surface is GREENGUARD GOLD certified. Available with black backing and without.

#### SURFACE CHARACTERISTICS

- Maximum Height Without Seams: 187"
- Weight (g/sm): 348
- Thickness (mm): 0.30
- Cleaning: Mild soap and water
- Composition: Flexible PVC

#### REFLECTIVE PERFORMANCE<sup>1</sup>



- Gain Chart—See below
- 0° Gain: 1.0
- Half Gain Angle: Material does not reach half gain.

#### OptiFlex™ Family of Surfaces

OptiFlex surfaces are suitable for tensioning and are available on permanently tensioned screens and/or tab tensioned roller-operated screens, or both. Choose OptiFlex for the flattest front projection viewing surfaces. All are 4K ready.



<sup>1</sup>Individual test results may vary. Results based on a representative sample in Draper inventory.



**GAIN CHART: 0° GAIN: 1.0, VIEWING CONE: 180° OPTIFLEX MATT WHITE XT1000V**